

EXHIBIT A

SMART WATER SYSTEMS LLC OWNER'S GUIDELINES FOR OPERATION OF ON-SITE LIQUID WASTE SYSTEMS

These are the general rules and regulations regarding the use of on-site wastewater treatment systems, On-Site Liquid Waste Systems:

- A. There shall be no discharge of any storm water, surface water, roof runoff, or subsurface drainage to the system.
- B. None of the following described waters or wastes shall be discharged into any on-site wastewater treatment unit:
1. Any gasoline, kerosene, benzene, naphtha, fuel oil, or other flammable or explosive liquid, solid, or gas.
 2. Any organic solvent or any liquid containing any organic solvent.
 3. Any paints, paint thinners, paint removers, or strippers.
 4. Any photographic fluids including waste developer, fixer, and rinse water.
 5. Any pesticide, including insecticides, fungicides, rodenticides, and herbicides any sort.
 6. Any wastes or water containing toxic poisonous solids, liquids, or gases. These products will interfere with the sewage treatment process, constitute a hazard to humans or animals, create a public nuisance, and create a hazard in the groundwater.
 7. Any waters having a pH higher than 9.5(very basic) or lower than 5.5(very acidic).
 8. Solid or viscous substances in quantities capable of causing obstruction to the flow in sewers, or other interference with the proper operation of the sewage works such as, but not limited to, ash, cinders, sand, mud, straw, shavings, metal, glass, rags, feathers, tar, plastics, wood, unground garbage, whole blood, paunch manure, hair, flesh, entrails, condoms, tampons, cigarette butts and paper dishes, cups, milk containers, etc., either whole or in parts.
 9. Any water or wastes containing fats, wax, grease, or oils, whether emulsified or not, in excess of 100 mg./l, or containing substances which may solidify or become viscous at temperatures between 32 and 150 degrees Fahrenheit (0 - 65 degrees Celsius).
 10. Toilet bowl fresheners
 11. Garbage grinders and disposals are not recommended for use with on-site wastewater systems.
 12. Any discharge from a water softener.
 13. Any type of drain cleaner.
 14. Any so called "septic system cleaners, enhancers, or additives."
 15. Any manufacturing process waters unless specifically authorized by EMT.